

مناقصة MOE-GSD/KFW/2019/87

تزويد مراكز التدريب المهني في نابلس بأجهزة الكترونية لصالح وزارة التربية والتعليم


البنود المحالة على شركة السهم للتقنيات الحديثة
سبب الإحالة الأقل تكلفة والمستحيب جوهريا

No.	Type	Equipment Name	Specification Details; incl. Accessories, min. Spare Parts/Consumables	Unit	TOTAL Qty.	Price in EUR, incl. Accessories, Spare Parts	Total Price in EUR	اسم الموديل
2	Power Supplies	Power Supply AC 250V/750VA Bench Type	Power Supply Bench Type AC adjustable 0 - 250V, 3A, input/output separation, isolating transformer adjustable, output connection: 4mm safety socket, making current limiter Including documentation in English language Certificate of industrial standard quality has to be provided by manufacturer.	Unit	1	790.00	790.00	M10-AD2210
3	Power Supplies	Table top power supply duct System 3HU - 1200 double	For system work bench Type 2 ML double-sided, approx. 2 x 220 HP (or PU) Approx. W = 1200, D = 400, H = 170 mm Unused space is covered with blank panels of the same design Tasks to be performed by te supplier at project site: Unwrapping, positioning, installation, testing, briefing, hand over and commissioning	Unit	4	240.00	960.00	MCB TB/4
4	Power Supplies	Mains supply panel Type 3AC	Mains supply slide-in panel 3HE, 3 x 230V/400V 50Hz 1 earth-leakage circuit breaker 4pole type A, 25 / 30 mA (RCD) 1 automatic circuit breaker 3pole C 16 A, 1 key-operated On button 1 Off button 5 safety lab terminals 4mm L1, L2, L3, N, PE 3 phase indicator lamps Certificate of industrial standard quality has to be provided by manufacturer.	Unit	4	360.00	1440.00	232002

فؤاد ابو الرب / وزارة المالية والتخطيط
ابراهيم شهاب / وزارة الاقتصاد
عبد الرؤوف عساف / وزارة الاشغال العامة والإسكان
عضو
عضو
عضو
عليه
عليه

محمد ربيع
رئيس لجنة العطاءات المركزية
من 19.09.2019 الى 04.10.2019
5 أيام عمل
تعرض نتيجة الإحالة لمدة 5 أيام عمل

State Of Palestine
Ministry Of Finance & Planning
General Supplies Department



دولة فلسطين
وزارة المالية والتخطيط
مديرية اللوازم العامة

رقم المناقصة: MOE-GSD/KFW/2019/87


5	Power Supplies	LV Supply Panel Type 24V-6A	For table top power duct 3 HU Single Output Switching Power Supply 24 V / 6 A Outputs to 2 safety lab terminals; Rated Power: 150 W, Rippe & Noise: max. 150 mVp-p; Voltage Tolerance: ± 1.0 % Line Regulation: ± 0.5 %; Load Regulation: ± 0.5 % Protection: Constant current limiting, recovers automatically after fault condition removed. W = 121.9 mm, H = 128.5 mm, D = max. 190 mm Certificate of industrial standard quality has to be provided by manufacturer.	Unit	4	180.00	720.00	311004
6	Power Supplies	Mains supply panel Type 1AC	Mains voltage 1ph AC 50Hz 230V 16A to 4 Schuko socket outlets W = 121.9 mm, H = 128.5 mm Certificate of industrial standard quality has to be provided by manufacturer.	Unit	4	50.00	200.00	511001
9	Measuring Instruments	Phase rotation indicator for 3- phase systems	. Voltage range: 40 - 700 V Frequency range: 15 - 400 Hz Operating time: continuous Power supply: from unit under test Certificate of quality has to be provided by manufacturer	Unit	1	55.00	55.00	CEM DT-901
10	Measuring Instruments	Voltage and continuity tester	DC voltage: 12 - 700 V AC voltage: 12 - 700 V Continuity: 0 - 400 kΩ Phase rotation: 100 - 700 V Certificate of quality has to be provided by manufacturer	Unit	4	59.00	236.00	MD 1060& MD 1160
12	Tools	Tool Kit Basic	Hart-top case, Contents: Electrician screwdrivers 2.5 x 75, 3 x 100, 4 x 125 mm, 5 x 150 mm; ross slotted screwdrivers PH, size 1 and 2; Electronic screwdriverset, 7-pieces size 1.0 to 4.0• Stripper for UTP/STP data cable; side cutters 160 mm; telephone pliers, bent, 200 mm; electronic side cutters, 115 mm; Crimping pliers for modular plugs 4/8 RJ45; soft-grip scissors, 140 mm; combination pliers, 180 mm; Wire stripper, hooked blade, 8 - 28 mm Ø; Cable stripping knife, 4 - 16 mm Ø; Automatic wire stripper, 0,2 - 6 mm2; PUK pocket saw, fixed handle; „Bit box“, 17-pieces; Spirit level, 400 mm; Measuring tape, 3 m; • Voltage tester „Basic“; Sensor Tool LSA wire diameter 0.35 -	Unit	6	510.00	3060.00	220229/3A

فؤاد ابو الرب / وزارة المالية والتخطيط
ابراهيم شهاب / وزارة الاقتصاد
عبد الرؤف عساف / وزارة الاشغال العامة والإسكان
أحمد الاحمد / مؤسسة المتخصصات والتقايبس
عضو
عضو
عضو

تعرض نتيجة الإحالة لمدة 3 أيام على
من 19.7.2019 إلى 21.7.2019

محمد ربيع
رئيس لجنة العطاءات المركزية

State Of Palestine
Ministry Of Finance & Planning
General Supplies Department



دولة فلسطين
وزارة المالية والتخطيط
مديرية اللوازم العامة


رقم المناقصة: MOE-GSD/KFW/2019/87

13	Tools	1000 V VDE Tool case	0.9mm strands diameter 0.7 -2.6 mm; Crimping plier for end sleeves 0.25 - 6mm; All tools have to be of proven professional industrial quality. Certificate of industrial standard quality has to be provided by manufacturer. Hard-top case, Contents: • VDE long chain nose pliers, straight, 200 mm • VDE combination pliers 185 mm • VDE heavy duty side cutters 200 mm • VDE wire stripping pliers 160 mm • VDE cable cutter, max. 15 mm • Cable knives, 1000 V, 50 mm • Finger gloves, size 9 • VDE electrician's screwdrivers 2,5 x 75, 3 x 100, 6,5 x 150, 8 x 175 mm • 2C-VDE socket wrenches, size 5,5, 7, 8, 10 • 2C-VDE cross slotted screwdrivers, PH 1 + 2 • NH-safety fuse grip • Rubber towels, 1000 x 1000 x 1,6 mm • Plastic clips, 160 mm • Slip on bushes, No. 1, 2, 3 (each 5 x) • Self adhesive PVC tape, red, 10 m • Heat protection gloves • Safety glasses	Unit	1	455.00	455.00	220232
----	-------	----------------------	--	------	---	--------	--------	--------

محمد ربيع
رئيس لجنة العطاءات المركزية

تعرض نتيجة الإحالة لمدة 5 أيام على
من 4.9.2019 إلى 9.9.2019

فؤاد ابو الرب / وزارة المالية والتخطيط
ابراهيم شهاب / وزارة الاقتصاد
عضو
عضو



19	Equipment Workshop Practice Residential Wiring	Manuals Installation Technology	Step-by step practical exercises manual to guide skills training in the area of residential wiring Power circuits and signalling circuits (bell circuits) Manuals for Teachers and Trainees including tasks and solutions. English language	Unit	1	150.00	150.00	150.00	SH5001-3A
21	Equipment Workshop Practice Industrial Wiring	Punched hole panel 60 x 60	Punched hole metal sheet with T-stand (left and right) for electrical installation exercises Size 60 cm x 60 cm, galvanized metal sheet, lacquered Punched holes must be technically aligned to the lab system	Unit	4	290.00	1160.00	1160.00	حسب الصورة المقدمة وكما هو مطلوب في كراسة العطاء
22	Equipment Workshop Practice Industrial Wiring	Punched hole panel 60 x 90	Punched hole metal sheet with T-stand (left and right) for electrical installation exercises Size H = 60 cm, W = 60 cm, galvanized metal sheet, lacquered Punched holes must be technically aligned to items no. 53 and 54	Unit	4	340.00	1360.00	1360.00	حسب الصورة المقدمة وكما هو مطلوب في كراسة العطاء
23	Equipment Workshop Practice Industrial Wiring	Set Installation Material	Locally deployed set of installation material: On-Off Switch 2x; changeover switch 3x; two-way double-pole reversing switch 2x; 4x push button switch; 1x impulse relay; 1 phase sockets 230V/10A 3x; bulb sockets 3x; fuses 5x; sub distribution for 10 circuits; junction boxes 4x; connectors; tube lights short 2x; compact lights 2x; Set of material for bell signal circuits (low voltage): 3 x bell push button, 2 x bells, 1 x low voltage transformer 230V/9V 50Hz, signal wire 8 x 0.5 mm ² 100m, 4 x junction boxes; 100m Installation cable NYM-J 3 x 1,5mm ² 100m Installation cable NYM-J 5 x 1,5mm ² Control wire 1,5 qmm Typ H05V-U > black 1 x 500m > blue 1 x 200m > green/yellow 1 x 200m 10m PVC cable trough 15 x 30 mm (residential wiring) 50 cable clamps 20mm All installation material has to fulfil national and if not available international safety and quality standards. Certificate of quality standard has to be provided by manufacturer.	Unit	4	1350.00	5400.00	5400.00	حسب الصورة المقدمة وكما هو مطلوب في كراسة العطاء

فؤاد ابو الرب / وزارة المالية والتخطيط

ابراهيم شهاب / وزارة الاقتصاد

عبد الرؤوف عساف / وزارة الاشغال العامة والإسكان

احمد الاحمد / مؤسسة المواصفات والمقاييس

عضو

عضو


تعرض نتيجة الإحالة لمدة 5 أيام على

رئيس لجنة العطاءات المركزية

صفحة 5 من 10

من 4.9.2019 الى 9.9.2019

State Of Palestine
Ministry Of Finance & Planning
General Supplies Department



دولة فلسطين
وزارة المالية والتخطيط
مديرية اللوازم العامة

رقم المناقصة: 87/2019/KFW/GSD-MOE


الغاء البنود التالية وإعادة شراؤها حسب السقوف المالية

No.	Type	Equipment Name	Specification Details: incl. Accessories, min. Spare Parts/Consumables
1	Power Supplies	Power Supply DC 30V/5A Bench Type	Bench type power supply DC 2 x 0 - 30V, 0 - 5A, adjustable, stabilized, input 230V/50Hz; 2 x Digital Voltmeter 4-digit, 2 x Digital Ammeter 4-digit; Ripple 10 mV, 200W Including documentation in English language Certificate of industrial standard quality has to be provided by manufacturer.
7	Power Supplies	Emergency shutoff switch panel 3HE	Slide-in panel 3HE with 1 Emergency shutoff switch red with a yellow signal ring
8	Measuring Instruments	Installation tester full range	AC voltage: range: 500 V; Continuity testing: ranges: 20 Ω , 200 Ω , 2000 Ω ; Insulation resistance measurements: test voltages: 50 - 100 - 250 - 500 - 1000 V; insulation: 10 k Ω - 50 M Ω ; live circuit detection: inhibits test if terminal voltage > 30 V prior to initiation of test Loop impedance measurement: loop impedance: phase to earth line impedance: phase to neutral; RCD testing: Tripping time test (ΔT): current setting: 10, 30, 100, 300, 500, 1000 mA; multiplier: x 1 - x 5; Tripping current (ramp test): 50% to 110% from RCD's rated current; Earth Resistance Test (RE): measuring range 200 Ω ; Phase sequence: icon Phase Sequence Indicator is active Two sets Manual and documentation in English language Certificate of quality has to be provided by manufacturer
11	Measuring Instruments	True rms digital multimeter	Digital multimeter Automatic and manual range selection, 4-digit illuminated LCD display for measuring direct and alternating voltage, direct and alternating current, resistance, continuity, frequency, capacitance, diode test, temperature measurement, min./max./mean value, display hold, bar graph, true effective value measurement (TRMS). — Voltage: 0.1 mV - 1,000 V AC and DC — Current: 0.01 mA - 10 A AC and DC — Resistance: 0.1 Ω - 50 M Ω — Frequency: 0.01 Hz - 100 kHz — Capacitance: 1 nF - 10,000 μ F — Tested with 1,000 V CAT III — Tested with 600 V CAT IV Scope of delivery — Measuring cables — Holster — battery

فؤاد ابو الرب / وزارة المالية والتخطيط
ابراهيم شهاب / وزارة الاقتصاد
عبد الرؤوف عساف / وزارة الاشغال العامة والإسكان
عضو
عضو
عضو
أحمد الاحمد / مؤسسة المواصفات والمقاييس

محمد ربيع
رئيس لجنة العطاءات المركزية
من 19.04.2019 الى 09.09.2019
5 أيام عمل
تعرض نتيجة الإحالة لمدة 5 أيام عمل

State Of Palestine
Ministry Of Finance & Planning
General Supplies Department



دولة فلسطين
وزارة المالية والتخطيط
مديرية اللوازم العامة


رقم المناقصة: 87/2019/KFW/GSD-MOE

15	Tools Power Tools Set	<p>— Manual and Documentation Certificate of industrial standard quality has to be provided by manufacturer.</p> <p>Approx. 650 Watt Electronic Drill R+L</p> <p>Die cast aluminium gear housing; Variospeed (V) electronics for infinitely variable speed change; automatic torque limiting clutch; Clockwise and anticlockwise rotation; Spindle with hexagon recess for screwdriver bits; Suitable for drilling with drill bits with large diameter (e.g. formwork drill bits) ; Long side handle for work with high torque; Auto-stop carbon brushes to protect the motor; Torque 35 Nm; Drilling capacity in Steel 16 mm Softwood 40 mm; Output power approx. 360 W ; Rated load speed 3300 rpm; Collar diameter 43 mm; Drilling spindle thread 1/2" - 20 UN; Chuck capacity 1,5 - 13 mm</p> <p>Provided with standard accessories plus 2 x drill set HSS - 25 Pieces industrial quality. Supplied in indexing metal case 1.0 to 13.0mm.</p> <p>Approx. 700 Watt Electronic Orbital Jig Saw</p> <p>Torque 7 Nm; Maximum thickness of material in - Wood 135 mm- Nonferrous metals 35 mm- Sheet steel 10 mm</p> <p>Levels of pendulum stroke; Strokes at no load 1.000 - 3.000 rpm Output power 450 W</p> <p>Provided with standard accessories plus 5 x Saw Blade Set (10 each) with case for metal and wood</p> <p>All items provided with carrying case .</p> <p>Certificate of industrial standard quality has to be provided by manufacturer.</p> <p>End sleeves uninsulated of electrolytic copper, tin-plated Dimensions to DIN 46228 or same quality, Part 1: 0.75 - 1.0 - 1.5 - 2.5 mm 1000 each</p> <p>End sleeves DIN colour range insulated Electrolytic copper, tin-plated Dimensions to DIN 46228 or same quality. Part 4: 0.75 - 1.0 - 1.5 - 2.5 mm 500 each</p> <p>Assortment of insulated terminals</p> <p>Containing: 1000 insulated terminals, press range 1.5 - 6 mm2, box</p> <p>Ring type: 0.25-1.5 M3 100pcs; 0.25-1.5 M4 100pcs; 0.25-1.5 M5 100pcs; 1.5-2.5 M4 100pcs; 1.5-2.5 M5 100pcs; 2.5-6 M4 50pcs; 2.5-6 M5 50pcs; 2.5-6 M6 50pcs</p> <p>Fork type: 0.25-1.5 M3 100pcs; 0.25-1.5 M4 100pcs; 1.5-2.5 M5 50pcs; 1.5-2.5 M6 50pcs</p>
16	Consumption Parts End sleeves Set	<p>Class 5 acc. to IEC 60228/ VDE 0295 EN 50525-2-31/ VDE 0285-525-2-31</p> <p>Control wire 1,5 qmm Typ H05V-K black 3 x 500m</p> <p>blue 2 x 500m green/yellow 2 x 500m</p> <p>Control wire 2,5 qmm Typ H05V-K black 2 x 500m</p> <p>blue 1 x 500m green/yellow 1 x 500m</p>
17	Consumption Parts Wire H05V-K	

فؤاد ابو الرب / وزارة المالية والتخطيط
ابراهيم شهاب / وزارة الاقتصاد
عضو
عضو

تعرض نتيجة الإحالة لمدة 5 أيام على
من 10.9.2019 إلى 14.9.2019

محمد ربيع
رئيس لجنة العطاءات المركزية



إحالة مبدئية

رقم المناصصة: MOE-GSD/KFW/2019/87

Equipment	Set of fastening material	Set of fastening material for practical experiments on punched hole panels consisting of: plastic dowels 5x5 mm 200 pcs. plastic dowels 5x10 mm 200 pcs. Spax screws 3.5 x 12 mm 100 pcs. suitable for plastic dowels Spax screws 3.5 x 20 mm 100 pcs. suitable for plastic dowels Spax screws 3.5 x 30 mm 100 pcs. suitable for plastic dowels Digital multimeter
20		Automatic and manual range selection, 4-digit illuminated LCD display for measuring direct and alternating voltage, direct and alternating current, resistance, continuity, frequency, capacitance, diode test, temperature measurement, min./max./mean value, display hold, bar graph, true effective value measurement (TRMS). — Voltage: 0.1 mV – 1,000 V AC and DC — Current: 0.01 mA – 10 A AC and DC — Resistance: 0.1 Ω – 50 M Ω — Frequency: 0.01 Hz – 100 kHz — Capacitance: 1 nF – 10,000 μ F — Tested with 1,000 V CAT III — Tested with 600 V CAT IV Scope of delivery — Measuring cables — Holster — battery — Manual and Documentation Certificate of industrial standard quality has to be provided by manufacturer.
27	True rms digital multimeter	

محمد ربيع

رئيس لجنة العطاءات المركزية

تعرض نتيجة الإحالة لمدة 5 أيام على

من 4.9.2019 إلى 10.9.2019

عضو

عضو

فؤاد ابو الرب / وزارة المالية والتخطيط

ابراهيم شهاب / وزارة الاقتصاد

عبد الرؤوف عساف / وزارة الأشغال العامة والإسكان