State Of Palestine Ministry Of Finance General Supplies Department



دولة فلسطين " وزارة المالية \ مديرية اللوازم العامة

التاريخ:.....

الرقم..

قرار إحالة قطعي رقم 34 / 2022 صادر عن لجنة العطاءات المركزية مناقصة رقم (25 /MOA-GSD/MOF/2022)

شراء وتوريد شبكات ري بلاستيكية رئيسية وفرعية لمياه الصرف الصحي المعالجة

(قرية عانين / محافظة جنين)

لصالح وزارة الزراعة

اجتمعت لجنة العطاءات المركزية يوم الثلاثاء الموافق 2022/2/22 للبت في إحالة المناقصة أعلاه، حيث كانت اللجنة مكونة من التالية

22	·	أسماؤهم:-
	رئيس لجنة العطاءات المركزية	ناصر الخطيب
1100	مندوب وزارة المالية	فؤاد أبو الرب
	مندوب وزارة الاقتصاد الوطني	فادي مصلح
10	مندوب وزارة الاشغال العامة والاسكان	جمال قادوس
Sites	مندوب مؤسسة المواصفات والمقاييس	مها القاضي
	مندوب الامانة العامة لمجلس الوزراء	بسام دویکات
	مندوب وزارة الاتصالات وتكنولوجيا المعلومات	ابراهیم ابو بکر
The state of the s	مندوب وزارة البراعي	Jul bis
1 the	مندوب	عنا ربعنا _

قامت اللجنة بالاطلاع العطاء الوحيد المقدم وكونه مستجيب جو هريا للشروط والمواصفات الفنية المطلوبة وبسعر مناسب قررت لجنة العطاءات المركزية احالة المناقصة حسب الجدول المرفق:



State Of Palestine Ministry Of Finance General Supplies Department



دولة فلسطين وزارة المالية مديرية اللوازم العامة

رقم المناقصة: (MOA-GSD/MOF/2022/ 25)

رقم قرار الإحالة: 2022/34

مناقصة رقم (25 /MOA-GSD/MOF/2022)

شراء وتوريد شبكات ري بلاستيكية رئيسية وفرعية لمياه الصرف الصحي المعالجة

(قرية عانين / محافظة جنين)

لصالح وزارة الزراعة

البنود المحالة على شركة تكنوجرين لمستلزمات الانتاج الزراعي:

					· · · · · · · · · · · · · · · · · · ·	
Total Price (NIS)	السعر بعد الخصم 11%	Unit Price (NIS)	Quantity	Unit	ltem Name	Item No.
1,246.00	1,246.00	1,400.00	1	No.	Supply and install Pressure Control Switch with 1-10 bar (for high pressure) according to international standard. Price includes all cables and protection conduits required to connect it with the control panel	.1
40,584.00	33.82	38.00	1,200	LM	Supply and install PE100 pipe with nominal diameter 110 mm, SDR 17, minimum wall thickness 6.6 mm, PN 10 bars with all connections, couplings, elbows, reducers and fittings from the effluent water connector to the 2" gate valves in the farms with electrical fusion. Price includes supplying, laying down, connections of pipes and installing the pipe. Price per linear meter. The pipe and all required fittings should satisfy Ps-196-2-2011 standard and Palestinian Ministry of Agriculture regulations for carrying treated wastewater including have purple color.	.2
10,680.00	356.00	400.00	30	No.	Supply and install 26 (50 mm cast iron gate valves) from the 110 mm main pipe to the filter disc, 2 (50 mm cast iron gate valves) from 2" water meter to the 63 mm ND manifold pipe and 2 (50 mm cast iron gate valves) from the water meter to 50 mm manifold pipe. Valves should be rates for at least 16 bars and price to include all materials and connections needed (elbows, PE couplers, PE starters and all required fittings). All valves shall be installed at least 60 cm above ground. All valves well connecting with pipes. The gate valve should satisfy Palestinian standard or equivalent standards and Palestinian Ministry of Agricultoce regulations for carrying treated wastewater including have purple color.	.3
17,355.00	667.50	750.00	26	No.	supply and install 2" disc filter 4 bar with minimum operating pressure 1 bar and 120 microns with at least flow rate 10 m3/hr. with all required fittings from the 50 mm gate valves to the water meters. The disc filter should satisfy European standard and Palestinian Ministry of Agriculture regulations for carrying treated wastewater including have purple color.(Installation according to manufacture instructions)	.4 -رو

ابراهيم بولكر اوزارا الاتصالات وتكنولوجيا المعلومات

سام دويكات/ الأمانة العامة لمحلس الوزراء

جمال قادوس / وزارة الإشغال العامة والإسكان

زارة المالية فادي مصلح كوارة المقتصاد

فؤاد أبو الرب أوزارة الماليا

≯ O...

ئيس لحنة العطاءات المركزية

عضو

مها القاضي /مؤسسة المواصفات والمقاييه

صفحة 1 من 3

مصادقة وزار المالية

State Of Palestine Ministry Of Finance General Supplies Department



دولة فلسطين وزارة المالية مديرية اللوازم العامة

2022/34	الإحالة:	قرار	قم
---------	----------	------	----

رقم المناقصة: MOA-GSD/MOF/2022/ 25)

1,157.00	1,300.00	26	No.	Supply and install a complete 2" cast iron volumetric water meter according to ISO 4064 (class B) or European standard with all fittings from the 2" disc filter, with capacity at least 20 m³/hr, and required pressure at least 10 bar painted with epoxy coated from both inside and outside, the measuring unit should be removable type without removing the body. Price includes adding dresser, flanges, screws, bolts, gaskets and adding accessories that are needed, all fittings should satisfy Palestinian standard or European standard for carrying treated wastewater including have purple color. (Installation according to manufacture instructions)	.5
15.13	17.00	700	LM	Supply and install PE 100 manifold pipes with nominal diameters 63 mm, SDR 17, minimum wall thickness 3.8 mm, PN 10 bars with all connections, couplings and fittings (required for working pressure at least 10 bar) to be connected from the 2" water meter and 2" gate valve in the farms to end of the farms. Price per linear meter. The pipe and all required fittings should satisfy Ps-196-2-2011 standard and Palestinian Ministry of Agriculture regulations for carrying treated wastewater including have purple color.	.6
11.57	13.00	1,500	LM	Supply and install PE 100 manifold pipes with nominal diameters 50 mm, SDR 17, minimum wall thickness 3 mm, PN 10 bars with all connections, couplings and fittings (required for operating pressure at least 10 bar) from the 2" water meter in the farms to end of the farms. Price per linear meter. The pipe and all required fittings should satisfy Ps-196-2-2011 standard and Palestinian Ministry of Agriculture regulations for carrying treated wastewater including have purple color.	.7
4.01	4.50	10,700	LM	Supply PE 100 manifold pipes with nominal diameters 25 mm, SDR 17, PN 10 bars. The pipe should satisfy Ps-196-2-2011 standard and Palestinian Ministry of Agriculture regulations for carrying treated wastewater including have purple color.	.8
17.80	20.00	80	No.	Supply saddle 63mm / 1" that tolerable to the working pressure at least 10 bar. The saddle should satisfy Ps-196-2-2011	.9
15.13	17.00	170	No.	Supply saddle 50 mm / 1" that tolerable to the operating pressure at least 10 bar. The saddle should satisfy Ps-196-2-2011	.10
11.13	12.50	250	No.	Supply starter 1"/25mm for operating pressure at least 10 bar. The saddle should satisfy Ps-196-2-2011 standard and	.11
1.78	2.00	6,500	LM	Supply at the farms dripper lines of 16mm in diameter suitable for irrigation with treated waste water, compensating pressure drippers, discharge per dripper 8 liters per hour at pressures between 1 bars, spacing between drippers 0.4 m. Lines to be rated at a pressure at least 4 bars. The lines will be supply water from laterals to the trees. The pipeline and drippers should satisfy Ps-196-2-2011 standard or European standard and Palestinian Ministry of Agriculture regulations	.12
0.89	1.00	1,350	No.	Supply starter 16 mm	.13
2,314.00	2,600.00	5	No.	Supply and assemble 2" compound air valve complete, 16 bar. The price includes excavation, cutting, welding, adding screws, bolts and accessories that are needed to assemble the valve. The valves should be according to specifications	.14
	15.13 11.57 4.01 17.80 15.13 11.13	15.13 17.00 11.57 13.00 4.01 4.50 17.80 20.00 15.13 17.00 11.13 12.50 1.78 2.00 0.89 1.00	15.13 17.00 700 11.57 13.00 1,500 4.01 4.50 10,700 17.80 20.00 80 15.13 17.00 170 11.13 12.50 250 1.78 2.00 6,500 0.89 1.00 1,350	15.13 17.00 700 LM 11.57 13.00 1,500 LM 4.01 4.50 10,700 LM 17.80 20.00 80 No. 15.13 17.00 170 No. 11.13 12.50 250 No. 1.78 2.00 6,500 LM 0.89 1.00 1,350 No.	with all fittings from the 2" disc filter, with capacity at least 20 m³hr, and required pressure at least 10 bar painted with epoxy coated from both inside and outside, the measuring unit should be removable type without removing the body. Price includes adding dresser, flanges, screws, bolts, gaskets and adding accessories that are needed. all fittings should satisfy Palestinian standard or European standard for carrying treated wastewater including have purple color. (Installation at least 10 bar) and the least of the part of the 2" water meter and 2" gate valve in the farms to end of the farms. Price per linear meter. The pipe and all required fittings should satisfy Ps-196-2-2011 standard and Palestinian Ministry of Agriculture regulations for carrying treated wastewater including have purple color. Supply and install PE 100 manifold pipes with nominal diameters 50 mm, SDR 17, minimum wall thickness 3.8 mm, PN 10 bars with all connections, couplings and fittings (required for working pressure at least 10 bar) from the 2" water meter and 2" gate valve in the farms to end of the farms. Price per linear meter, The pipe and all required fittings should satisfy Ps-196-2-2011 standard and Palestinian Ministry of Agriculture regulations for carrying treated wastewater including have purple color. Supply PE 100 manifold pipes with nominal diameters 50 mm, SDR 17, minimum wall thickness 3 mm, PN 10 bars with all connections, couplings and fittings (required for operating pressure at least 10 bar) from the 2" water meter in the farms to end of the farms. Price per linear meter, The pipe and all required fittings should satisfy Ps-196-2-2011 standard and Palestinian Ministry of Agriculture regulations for carrying treated wastewater including have purple color. Supply saddle 63mm / 1" that tolerable to the operating pressure at least 10 bar. The saddle should satisfy Ps-196-2-2011 standard and Palestinian Ministry of Agriculture regulations for carrying treated wastewater including have purple color. Supply saddle

ابراهيم ابو بكر/وزارة الاتصالات وتشويري المعلومات

بسام دويكات/ الامانة العامة نمجلس الوزراء

جمال قادوس / وزارة الاشخال العامة والإسكان

مرار . فؤاد أبو الرب/وزارة المالية فادي مصلح مرازة المقتم

ناصر الخطيب

رئيس لجنة العطاءات المركزية

و سر مها القاضى /مؤسسة المواصفات والمقاييس

مصافقة وزير المالك

صفحة 2 من 3

Service of the servic

State Of Palestine

Ministry Of Finance

General Supplies Department



دولة فلسطين وزارة المالية مديرية اللوازم العامة

 /MOA-GS	D/MOE/2022/	رقم المناقصة، 25

		20	ر الإحالة: 44/2Z	رغم عرا	(mox-gab/mor/2022) 2.	م المناهجية. و	
					mentioned in Annex. The Price also include supplying and installing 2" coupling, nipple and 2" gate valve. (mechanical		
					installation)		
					Supply and install pressure 2" Relief Valve, 16 atm, complete, the price includes excavation, cutting, welding, adding screws,	.15	
2,314.00	2,314.00	2,600.00	1	No.	bolts and accessories that are needed to assemble the valve and according to specifications. The Price also includes supplying		
					and installing 2" coupling, 2"conical record, 2"nipple and 2" gate valve.		
4,450.00	2,225.00	2,500.00	2	No.	Supply and install pressure release valve	.16	
208,629.35		اجمالي احالة المناقصة على شركة تكنوجرين لمستلزمات الانتاج الزراعي بالشيقل شامل ضريبة القيمة المضافة					
208,629.35		اجمالي احالة المناقصة بالشيقل شامل ضريبة القيمة المضافة					

على شركة تكنوجرين لمستلزمات الانتاج الزراعي تقديم شهادة مطابقة من مؤسسة المواصفات والمقاييس الفلسطينية للانابيب للبنود (2/6/7/8/12) قبل التوريد.

ابراهيم ابو بكر /وزارة الاتصالات وتكثولوجيا المعلومات

بسام دويكات/ الامانة العامة لمجلس الوزراء

جمال قادوس / وزارة الإشاغال الطاملة والإسكان

ة فادي مصلح أوراق الأة

فؤاد أبو الرب/وزارة المالية

مصادقة وزير العالية

ناصر الحطيب بيس لجنة العطاءات المركزية •

مها القاضي /مؤسسة المواصفات والمقاربيين

صفحة 3 من 3