



التاريخ / /

الرقم:

قرار إحالة قطعي رقم 2019/57

صادر عن لجنة العطاءات المركزية

مناقصة رقم : MEHE-GSD/KFW/2019/31

تزويد مراكز التدريب المهني في جنين وقلقيلية بتجهيزات لانظمة الخلايا الشمسية

لصالح وزارة التربية والتعليم العالي / KFW

اجتمعت لجنة العطاءات المركزية يوم الثلاثاء الموافق 2019/09/24 للبت في إحالة المناقصة المذكورة أعلاه، حيث كانت اللجنة مكونة من التالية اسماؤهم:

محمد ربيع	رئيس لجنة العطاءات المركزية	
فؤاد ابو الرب	مندوب وزارة المالية والتخطيط	فؤاد
إبراهيم شهاب	مندوب وزارة الاقتصاد الوطني	
أحمد الأحمد	مندوب مؤسسة المواصفات والمقاييس الفلسطينية	
عبد الرؤوف عساف	مندوب وزارة الاشغال العامة والاسكان	
صهيب خليل	مندوب وزارة التربية والتعليم	

- قامت اللجنة بالإطلاع على تقرير اللجنة الفنية ، وبعد رد اعتراضات الشركات فقد تقرر
1. الغاء البنود (9، 17، 28، 39، 41، 45) وسيتم اعادة طرحها حسب السقوف المالية .
 2. على الشركة المحال عليها البنود البنود (1، 18، 21) توفير شهادة مطابقة من مؤسسة المواصفات والمقاييس الفلسطينية قبل التوريد.
 3. احالة بنود المناقصة حسب الجداول المرفقة:

مناقصة: MEHE-GSD/KFW/2019/31 تزويد مراكز التدريب المهني في جنين وقليلية بتجهيزات لانظمة الخلايا الشمسية

لصالح وزارة التربية والتعليم العالي / KFW

1. شركة لابتك

الرقم	التصنيف	اسم الصنف	الموديل	المواصفات	Quantity/VTC		الوحدة	الكمية الاجمالية	سعر الوحدة €	السعر الاجمالي €
					قليلية VTC	جنين VTC				
3	Equipment Exercises Photovoltaic	PV-INST Solar cable 1	EGEkablo /H1Z2Z2-k	600m cross section 6mm, 300 black and 300 red	1	1	NO.	2	659	1318
5	Equipment Exercises Photovoltaic	PV-INST Plug and coupling connection	BEELAND /BL- C4B	plug and coupling connection for PV solar cable cross section 4mm (mc4,mc3)	200	200	NO.	400	3	1200
8	Equipment Exercises Photovoltaic	PV-INST PV Battery Inverter	Axpert VP 1000- 12	DC12v to AC220 Power Inverter 1000 Watt Pure Sine Wave, Pure sine wave output (<2% THD) , Input & Output fully isolation design. High efficiency 85%~90%. Internal heat sinks. LCD display panel. Power saving function. Frequency 50/ 60Hz selective switch internal ac char. can use ups	10	10	NO.	20	264	5280
21	Equipment Exercises Photovoltaic	PV-INST PV Inverter	KACO /blueplanet 5.0 TL1	on-grid, Reactive Power control, DC input power 5kW, Maximum DC input voltage 750V, Rated output AC power (at 230V 50Hz) 3000W, Efficiency min. 96%, IP 65, Transformer less, Web connect, Data logger	2	2	NO.	4	1257	5028

فؤاد ابو الرب/وزارة المالية والتخطيط ابراهيم شهاب/وزارة الاقتصاد عبد الرؤوف عساف / وزارة الاشغال العامة والإسكان

محمد ربيع

رئيس لجنة العطاءات المركزية

مصادقة وزير المالية والتخطيط

عضو

عضو

أحمد الاحمد /مؤسسة المواصفات والمقاييس

State Of Palestine
Ministry Of Finance & Planning
General Supplies Department



دولة فلسطين
وزارة المالية والتخطيط
مديرية اللوازم العامة

رقم قرار الإحالة: 2019/57

رقم المناقصة: MEHE-GSD/KFW/2019/31

3560	178	20	10	10	Battery Gel Battery deep cycle 12v 100Ah ,Warranty 3 years	ENERGY" RGC12-100s"	Battery	Battery	43
16,386		اجمالي الاحالة على شركة لابتك باليورو غير شامل لضريبة القيمة المضافة							

2. شركة السهم

الرقم	التصنيف	اسم الصنف	الموديل	المواصفات	Quantity/VTC		الوحدة	الكمية الاجمالية	سعر الوحدة	السعر الاجمالي
					قلقية VTC	جين VTC				
4	Equipment Exercises Photovoltaic	PV-branch plugs and sockets	LEADER / SY-BB41-A/B	For safe and simple parallel- or serial connection of PV-modules. Pluggable with 2-pole MC PV-cable coupler MC4. 4 input one output	100	100	NO.	200	8.50	1700
6	Equipment Exercises Photovoltaic	Solar Controllers	CMPA -60	Highest Reliability 12,24,48v 60Ah MPPT, More Power digital meter, More Power, Communications Capability, Warranty 5 years	5	5	NO.	10	338	3380
7	Equipment Exercises Photovoltaic	PV Battery Inverter	Apert MKS 5000	DC48v to AC220 Power Inverter 5000 Watt Pure Sine Wave, Pure sine wave output (<2% THD), Input & Output fully isolation design. High efficiency 85%~90%. Internal heat sinks. Movable front LCD display panel. Power saving function. Frequency 50/ 60Hz selective switch. Bypass function -- optional. Hard wiring design. Multi-stage thermal control fans. Re-start functional can Complete protection design. internal charger 50Ah with build in solar charger 60Ah mppt. parallel-ready with same model (up to 6 units max; requires parallel kit ready to used single phase and 3 phase)	5	5	NO.	10	845	8450

فؤاد ابو الرب/وزارة المالية والتخطيط ابراهيم شهاب/وزارة الاقتصاد عبد الرؤوف عساف / وزارة الاشغال العامة والإسكان

مصادقة وزير المالية والتخطيط

رئيس لجنة العطاءات المركزية

عضو

عضو

أحمد الاحمد /مؤسسة المواصفات والمقاييس

State Of Palestine
Ministry Of Finance & Planning
General Supplies Department



دولة فلسطين
وزارة المالية والتخطيط
مديرية اللوازم العامة

رقم قرار الإحالة: 2019/57

رقم المناقصة: MEHE-GSD/KFW/2019/31

3800	380	10	NO.	5	5	Battery connection box with automatic fuse 125ADC (fused 1 x plus, 1 x minus) Umax (VDC) : 80, I max (ADC) : 125,cable input : connecting with clamps up to 35mm 2 x cable gland M25, cable Ø 9-17mm,cable output : connecting with clamps up to 35mm 2 x cable gland M25, cable Ø 9-17mm class : IP65 steel Structure size (W x H x D) : 180 x 120 x 50 in mm for 1 off-grid inverter	محلي الصنع حسب العينة المقدمة	PV-INST Battery connection box	Equipment Exercises Photovolta ic	10
1070	535	2	NO.	1	1	100m, 35mm ² , 50m black and 50m red rubber covered wire, stranded, up to 600v	PAMUKKAL Y	PV-INST Cable NSGAFÖÜ , 1-pole	Equipment Exercises Photovolta ic	11
190	95	2	NO.	1	1	1-Crimping pliers MC4 2-Open end spanner set MC4 3-Plastic box 4- Stripping pliers 5-socket wrench insert to tighten 6-socket wrench insert to secure7-Insert 4 mm ² /10 mm	A2546B	PV-INST Crimping tool-set WZ 12	Equipment Exercises Photovolta ic	13
3380	1690	2	NO.	1	1	Steel Structure Steel structure for 4 pcs solar panel dimensions 150x150 cm with photo cell tracking system and electronic manual with remote control tracking system one axis from 10- 60 degree angle stand must be four wheels	محلي الصنع حسب العينة المقدمة	Steel Structure	Equipment Exercises Photovolta ic	16
6696	558	12	NO.	6	6	600m cross section 4,0mm,300m black and 300m red	TOPSOLAR /zz-F	PV-INST Solar cable 1	Equipment Exercises Photovolta ic	20
3300	55	60	NO.	30	30	Circuit Breaker MCB 10 2x32A+2x16A+2X10A.	ABB or Schneider	Dc breaker	Equipment Exercises Photovolta ic	22

فؤاد ابو الرب/وزارة المالية والتخطيط ابراهيم شهاب/وزارة الاقتصاد عبد الرؤوف عساف / وزارة الاشغال العامة والإسكان

مصادقة وزير المالية والتخطيط

رئيس لجنة العطاءات المركزية

عضو

عضو

أحمد الاحمد /مؤسسة المواصفات والمقاييس

State Of Palestine
Ministry Of Finance & Planning
General Supplies Department



دولة فلسطين
وزارة المالية والتخطيط
مديرية اللوازم العامة

رقم قرار الإحالة: 2019/57

رقم المناقصة: MEHE-GSD/KFW/2019/31

2560	128	20	NO.	10	10	90x60x25mm steel structure	Q-BOX" 100X60X25 cm"	Dc breaker Box	Equipment Exercises Photovolta ic	23
1008	28	36	NO.	18	18	Two lid organizers for small parts storage & accessible without opening the tool box , Built-in pad lock eye for small locks & keeps contents secure , Soft, wide rubber coated handle allows for easy & comfortable grip, Nickel metal-plated latches, Tote tray inside to store smaller items, size:W:600mm,H300mm,D300mm	local " market 340115600 "	Toolbox with Tray	Equipment Exercises Photovolta ic	24
2280	1140	2	NO.	1	1	MULTIFUNCTION DEVICE FOR COMMISSIONING TESTS OF ELECTRIC SAFETY AND PERFORMANCE OF A PHOTOVOLTAIC SYSTEM Automatic test in a sequence of: Measurement of insulation up to 1000VDC, Open-circuit voltage and short-circuit current Voc/Isc; Continuity of protective conductors with 200mA Measuring insulation of a module, string or of a whole photovoltaic field (IEC/EN62446) Checking the functionality of the connections and of the strings in a photovoltaic field, according to the provisions of standard IEC/EN62446 by measuring the open circuit voltage and the short-circuit current at operating conditions	HT" PVCHECK S "	Photovolta k Module Check	Accessori es Teaching & Learning	25
380	19	20	NO.	10	10	Dimensions, LxHxD(cm), 57.5x2x0.5)Copper	local " market "	Earth busbar	Accessori es Teaching & Learning	27

فؤاد ابو الرب/وزارة المالية والتخطيط ابراهيم شهاب/وزارة الاقتصاد عبد الرؤوف عساف / وزارة الاشغال العامة والإسكان

مصادقة وزير المالية والتخطيط

رئيس لجنة العطاءات المركزية

عضو

عضو

أحمد الاحمد /مؤسسة المواصفات والمقاييس

State Of Palestine
Ministry Of Finance & Planning
General Supplies Department



دولة فلسطين
وزارة المالية والتخطيط
مديرية اللوازم العامة

رقم قرار الإحالة: 2019/57

رقم المناقصة: MEHE-GSD/KFW/2019/31

3680	368	10	NO.	5	5	Digital multimeter Automatic and manual range selection, 4-digit illuminated LCD display for measuring direct and alternating voltage, direct and alternating current, resistance, continuity, frequency, capacitance, diode test, temperature measurement, min./max./mean value, display hold, bar graph, true effective value measurement (TRMS), Voltage: 0.1 mV – 1,000 V AC and DC, Current: 0.01 mA – 10 A AC and DC, Resistance: 0.1 Ω – 50 MΩ, Frequency: 0.01 Hz – 100 kHz, Capacitance: 1 nF – 10,000 μF, Tested with 1,000 V CAT III Tested with 600 V CAT IV Scope of delivery, Measuring cables, Holster, battery, Manual and Documentation Certificate of industrial standard quality has to be provided by manufacturer.	fluke 179 series	True rms digital multimeter	Measuring Instruments	30
476	119	4	NO.	2	2	Cable cu 3x2.5mm ² 100M XLPE n2xy	local markt حسب العينة المقدمة	Cable	Measuring Instruments	31
1240	155	8	NO.	4	4	. For measurement of voltage, current resistance, temperature, power and frequency, RMS for all currents, sinusoidal and distorted, single and three phase, Auto AC/DC, Auto-range, Hold, Backlit LCD screen, Compliant with IEC 61010 CAT II 1000 V / CAT III 600 V / CAT IV 300 V Voltages: AC from 0.20 V to 600 V eff./ 900 V peak, DC from 0.20 V to 600 V Currents: AC from 0.20 A to 400.0 A eff. / 600 A peak, DC from 0.20 A to 400.0 A Resistances from 0.2 to 40.00 kΩ Frequencies from 10.00 Hz to 19.99 kHz AC power supplies: from 5 W to 240 kW, from 5 to 240 kvar ; from 5 to 240 kVA Inrush current: Calculated on RMS voltage at , 1, 21/2, 5 and 10 signal cycles - Frequency range: 15 to 70 Hz Including test leads, power supply (batteries), user manual	CEM" DT-3348"	RMS Multimeter Clamp AC Current Analyzer	Measuring Instruments	32

عبد الرؤوف عساف / وزارة الاشغال العامة والإسكان

فؤاد ابو الرب/وزارة المالية والتخطيط ابراهيم شهاب/وزارة الاقتصاد

مصادقة وزير المالية والتخطيط

رئيس لجنة العطاءات المركزية

عضو

عضو

أحمد الاحمد /مؤسسة المواصفات والمقاييس

State Of Palestine
Ministry Of Finance & Planning
General Supplies Department



دولة فلسطين
وزارة المالية والتخطيط
مديرية اللوازم العامة

رقم قرار الإحالة: 2019/57

رقم المناقصة: MEHE-GSD/KFW/2019/31

476	119	4	NO.	2	2	Cable cu 3x2.5mm ² 100M XLPE CU n2xy	local markt حسب العينة المقدمة	Cable	Measuring Instrument s	33
1360	340	4	NO.	2	2	2-channel digital storage oscilloscope 50 MHz Bandwidth, Sample Rates 1 GS/s per channel 2 Channels, Digital real-time sampling, Built-in analysis tools, 3% DC vertical accuracy on all ranges Color LCD Display, Removable Data Storage via Front Panel USB Port, Seamless PC Connectivity via USB Device Port, with OpenChoice® and NI Signal Express® PC Software, Advanced Triggers Including Pulse Width Trigger and Line-Selectable Video Trigger Automatic Measurements, Multiple Language User Interface and Context-sensitive Help Direct Print to all Pict Bridge® Compatible Printers via USB Device Port Including accessories, test probes, leads, user manual and software applications	MCP" DQ6052"	2-channel digital storage oscilloscope	Measuring Instrument s	34
2260	565	4	NO.	2	2	Hard-top case, Contents:• VDE long chain nose pliers, straight, 200 mm,• VDE combination pliers 185 mm,• VDE heavy duty side cutters 200 mm • VDE wire stripping pliers 160 mm,• VDE cable cutter, max. 15 mm • Cable knives, 1000 V, 50 mm,• Finger gloves, size 9, • VDE electrician's screwdrivers 2,5 x 75, 3 x 100, 6,5 x 150, 8 x 175 mm • 2C-VDE socket wrenches, size 5,5, 7, 8, 10,• 2C-VDE cross slotted screwdrivers, PH 1 + 2,• NH-safety fuse grip,• Rubber towels, 1000 x 1000 x 1,6 mm,• Plastic clips, 160 mm,• Slip on bushes, No. 1, 2, 3 (each 5 x) • Self-adhesive PVC tape, red, 10 m,• Heat protection gloves • Safety glasses	Hard top" profi VDE 1000V"	1000 V VDE Tool case	Tools	35

فؤاد ابو الرب/وزارة المالية والتخطيط / ابراهيم شهاب/وزارة الاقتصاد عبد الرؤوف عساف / وزارة الاشغال العامة والإسكان

مصادقة وزير المالية والتخطيط

رئيس لجنة العطاءات المركزية

عضو

عضو

أحمد الاحمد /مؤسسة المواصفات والمقاييس

State Of Palestine
Ministry Of Finance & Planning
General Supplies Department



دولة فلسطين
وزارة المالية والتخطيط
مديرية اللوازم العامة

رقم قرار الإحالة: 2019/57

رقم المناقصة: MEHE-GSD/KFW/2019/31

14220	395	36	NO.	18	18	Safety-face masks acc. to EN 166 for protection against arc faults Ear defenders acc. to EN 35 Dielectric design for environments with the risk of electrical influences, SNR: 26 dB Personal safety set Safety harness DIN EN 361, safety device and shock absorbing rope (15 m) DIN 353-2, Type ASK 1 Safety boots according to EN20345, Size 41 VDE electricians' safety gloves VDE 912, Acc. to DIN EN 60903, made of natural latex, Insulation carpet/mat, 1000V, min. 1000mm x 1000mm according to DIN VDE 0303 All tools/equipment have to be of proven professional industrial quality. Certificate of industrial standard quality has to be provided by manufacturer.	local market حسب العينة المقدمة	Safety set for Electricians	Tools	36
-------	-----	----	-----	----	----	---	---------------------------------------	-----------------------------------	-------	----

مصادقة وزير المالية والتخطيط
A. ✓

محمد ربيع
رئيس لجنة العطاءات المركزية

عبد الرؤوف عساف / وزارة الأشغال العامة والإسكان

أبراهيم شهاب / وزارة الاقتصاد

فؤاد أبو الرب / وزارة المالية والتخطيط

عضو

عضو

أحمد الأحمد / مؤسسة المواصفات والمقاييس

State Of Palestine
Ministry Of Finance & Planning
General Supplies Department



دولة فلسطين
وزارة المالية والتخطيط
مديرية اللوازم العامة

رقم قرار الإحالة: 2019/57

رقم المناقصة: MEHE-GSD/KFW/2019/31

2900	290	10	NO.	5	5	<p>Combination spanners DIN 3113 or same quality standard, chrome vanadium steel, bright chromium-plated, head polished - box. Contents: 1 piece each SW 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 - 14 - 15 - 17 - 18 - 19 - 22 - 24 - 27</p> <p>Socket set chrome vanadium steel, „Profi“-quality GS-tested, black plastic case, Contents: 1/4": 12 Sockets 4 - 4.5 - 5 - 5.5 - 6 - 7 - 8 - 9 - 10 - 11 - 12 - 13 mm, 1 ratchet handle, 72 gears with quick release function, 1 universal joint, 1 sliding head for extension bar work as T handle, 2 extension bars 50 & 150 mm, 1 spinner handle for screwdriver, 12 insert bit sockets: PH: 1-2; HX: 3 - 4 - 5 - 6, FD: 5.5 - 7, TX: 20 - 25 - 27 - 30, 5 Hex keys: 1.25 - 1.5 - 2.0 - 2.5 - 3.0 mm 1/2": 13 sockets 10 - 11 - 12 - 13 - 14 - 15 - 17 - 19 - 22 - 24 - 27 - 30 - 32 mm, 1 ratchet handle, 72 gears with quick release function, 2 extension bars 75 & 250 mm, 1 sliding head for extension bar work as T handle, 2 plug sockets 16 & 21 mm, 1 universal joint Spanners for switch-cabinets made of metal for high torques, small size, low weight, with chain inside square 6 mm, inside square 7 - 8 mm, inside threesquare 7 - 8 mm, double size 3 - 5 mm Certificate of industrial standard quality has to be provided by manufacturer.</p>	Socket " sets 110674 - 110678"	Spanners set	Tools	37
------	-----	----	-----	---	---	---	--------------------------------------	--------------	-------	----

مصادقة وزير المالية والتخطيط
4. 1

محمد ربيع
رئيس لجنة العطاءات المركزية

عبد الرؤوف عساف / وزارة الاشغال العامة والإسكان

فؤاد ابو الرب / وزارة المالية والتخطيط
ابراهيم شهاب / وزارة الاقتصاد
أحمد الاحمد / مؤسسة المواصفات والمقاييس
عضو
عضو

State Of Palestine
Ministry Of Finance & Planning
General Supplies Department



دولة فلسطين
وزارة المالية والتخطيط
مديرية اللوازم العامة

رقم قرار الإحالة: 2019/57

رقم المناقصة: MEHE-GSD/KFW/2019/31

3900	1950	2	NO.	1	1	<p>1 x 18 Volt Brushless Compact Hammer Drill has a lightweight, compact design for use in confined spaces. With 2-speed, all-metal transmission and LED work light. Chuck: 13mm. No Load Speed: 0-600/0-2,000/min. Impact Rate: 0-10,200/0-34,000/min. Max Torque: 60Nm. Capacity: Wood: 38mm, Steel: 13mm, Masonry: 13mm</p> <p>1 x 18 Volt Brushless Impact Driver with brushless motor technology, aluminium front housing and an ergonomic handle. 3 LEDs provide work piece illumination. With 'drop in' keyless hex driver for a quick, one-handed fitment. Bit holder: 6.35mm (1/4in) hex. No Load Speed: 0-2,800/min. Impacts Per Minute: 0-3,200/bpm. Max Torque: 165Nm. Capacity: Bolt M12.</p> <p>1 x 18 Volt SDS Hammer Drill is ideal for drilling anchors and fixing holes into concrete, brick and masonry from 4mm to 24mm. Has a rotation stop mode for light chiselling in plaster, tiles and render and an impact stop mode for rotary only drilling in wood and metal. No Load Speed: 0-1,200/min. Impact Rate: 0-4,500/min with 2.1 Joules. Capacity: Concrete: 24mm, Steel: 13mm, Wood: 26mm. Weight 3.1kg.</p> <p>1 x 18 Volt Jigsaw has a keyless blade change and intelligent variable speed trigger. Accepts T-shank blades. Strokes at No Load: 0-3,000/min.</p>	DeWALT" "	drial tools 6 Piece Kit 18 Volt 6 x 4.0Ah Li-Ion	Tools	38
------	------	---	-----	---	---	--	--------------	---	-------	----

عبد الرؤوف عساف / وزارة الاشغال العامة والإسكان

فؤاد ابو الرب / وزارة المالية والتخطيط ابراهيم شهاب / وزارة الاقتصاد

مصادقة وزير المالية والتخطيط

محمد ربيع
رئيس لجنة العطاءات المركزية

عضو

عضو

أحمد الاحمد / مؤسسة المواصفات والمقاييس

State Of Palestine
Ministry Of Finance & Planning
General Supplies Department



دولة فلسطين
وزارة المالية والتخطيط
مديرية اللوازم العامة

رقم قرار الإحالة: 2019/57

رقم المناصاة: MEHE-GSD/KFW/2019/31

					<p>Levels of Pendulum Stroke: 4. Stroke Length: 26mm. Capacity: Wood: 135mm, Metal: 10mm. 1 x 18 Volt Circular Saw with an intelligent trigger allowing total control over all applications. It has a powerful and highly efficient PM58 fan cooled motor with replaceable brushes, which delivers up to 3,700 rotations per minute for a fast cutting action. No Load Speed: 3,700/min. Max Cutting Depth: @90°: 55mm, @45°: 55mm. Blade: 165 x 20mm bore. Weight: 3.8kg.</p> <p>1 x 18 Volt LED Pivot Light has a compact, lightweight design with impact resistant housing and improved ergonomic design and rubber grip for increased comfort. The LED Bulb produces 110 Lumen output (10,000Hr Life) with a 2 zone light pattern. The flashlight head pivots more than 90° vertically with ratchet lock.</p> <p>1 x Multi-Voltage XR Universal Charger varies the charge rate according to battery type to increase battery pack life. It features diagnostics with bright LED indicator which communicates the battery charge status: charged, charging, power problem, and battery too hot or too cold. Charges all XR Li-Ion Slide Pack 10.8, 14.4, and 18 Volt batteries. Supplied with 6 x 18 Volt 4.0Ah XR Li-Ion Slide Pack Batteries and 2 x DWST1-71195 Deep Tool Stak Boxes. all tools Yellow color</p>				
--	--	--	--	--	--	--	--	--	--

مصادقة وزير المالية والتخطيط

محمد ربيع
رئيس لجنة العطاءات المركزية

عبد الرؤوف عساف / وزارة الاشغال العامة والإسكان

فؤاد ابو الرب/وزارة المالية والتخطيط ابراهيم شهاب/وزارة الاقتصاد

عضو

عضو

أحمد الاحمد /موسسة المواصفات والمقاييس

State Of Palestine
Ministry Of Finance & Planning
General Supplies Department



دولة فلسطين
وزارة المالية والتخطيط
مديرية اللوازم العامة

رقم قرار الإحالة: 2019/57

رقم المناقصة: MEHE-GSD/KFW/2019/31

360	45	8	NO.	4	4	combined with cutting and insulating , on the same plier for cutting cables, stripping wire and crimping , insulated and non-insulated terminals, connectors and plug type, connectors with threaded holes for cutting copper and brass screws, threaded M 2-250mm2 Special steel, high strength	unior" 425/4A"	Crimping Pliers for end sleeves	Consumption Parts	40
1920	320	6		3	3	Portable Equipment for radiation and wind speed , Compass, gps ,	TM-206	tools	tools	44
70986		اجمالي الاحالة على شركة السهم باليورو غير شامل ضريبة القيمة المضافة 3. الشركة الفنية للتطبيقات الهندسية								

الرقم	التصنيف	الصف	الموديل	المواصفات	Quantity/VTC		الوحدة	الكمية الاجمالية	سعر الوحدة €	السعر الاجمالي €
					قليلية	جنين				
1	Equipment Exercises Photovoltaic	supply and installer Set of solar modules	Q.PLUS L-" G4.2 320w Q.PEAK DUO- G5 320w"	Q.PLUS L-G4.2 320w Q.PEAK DUO-G5 320w	1	1	NO.	2	2666	5332
2	Equipment Exercises Photovoltaic	aluminum Structure	محلي الصنع حسب العينة المقدمة	محلي الصنع	2	2	NO.	4	282	1128
12	Equipment Exercises Photovoltaic	PV-INST Sealed lead- acid battery	deka 250AH/2V	deka 250AH/2V	24	24	NO.	48	120	5760
14	Equipment Exercises Photovoltaic	ac lamping	30W LED Flood Light, Waterproof Outdoor Flood Light, 12 or 24 dc	30W LED Flood Light, Waterproof Outdoor Flood Light, 12 or 24 dc	10	10	No	20	14	280

فؤاد ابو الرب/وزارة المالية والتخطيط ابراهيم شهاب/وزارة الاقتصاد عبد الرؤوف عساف / وزارة الاشغال العامة والإسكان

مصادقة وزير المالية والتخطيط

رئيس لجنة العطاءات المركزية

عضو

عضو

أحمد الاحمد /مؤسسة المواصفات والمقاييس

State Of Palestine
Ministry Of Finance & Planning
General Supplies Department



دولة فلسطين
وزارة المالية والتخطيط
مديرية اللوازم العامة

رقم قرار الإحالة: 2019/57

رقم المناقصة: MEHE-GSD/KFW/2019/31

280	14	20	No	10	10	30W LED Flood Light, Waterproof Outdoor Flood Light, 220Ac	30W LED Flood Light, Waterproof Outdoor Flood Light, 220Ac	ac lamping	Equipment Exercises Photovoltaic	15
4694	2347	2	No	1	1	18 pcs. Poly 160 watt MAIN Isotext-cells, Aluminium frame	photowatt" PW2450F"	PV-INST Set of solar modules	Equipment Exercises Photovoltaic	18
724	181	4	No	2	2	For 2 modules consisting of: elevation of modules in vertical alignment from 0° to 45°, mounting on concrete foundation (on site), Alu standard-module-tracks and Aluminium steel module-clamps, incl. accessories	local made For " 2 modules :consisting of elevation of modules in vertical alignment from 0° to 45°, mounting on concrete foundation (on site), Alu standard-module-tracks and Aluminium steel module-clamps, incl. accessories "	PV-INST Mounting-system for PV modules free-arr	Equipment Exercises Photovoltaic	19
3132	522	6		3	3	True-RMS AC current measurements to 2500 A 3% accuracy Memory recording up to 65,000 readings iFlex current probe allows you to get into tight, awkward spaces Backlit LCD display CAT IV 600 V, CAT III 1000 V	fluke 376FC	Clamp Meter	Accessories Teaching & Learning	26

فؤاد ابو الرب/وزير المالية والتخطيط ابراهيم شهاب/وزارة الاقتصاد عبد الرؤوف عساف / وزارة الاشغال العامة والإسكان

مصادقة وزير المالية والتخطيط

رئيس لجنة العطاءات المركزية

عضو

عضو

أحمد الاحمد /مؤسسة المواصفات والمقاييس

State Of Palestine
Ministry Of Finance & Planning
General Supplies Department



دولة فلسطين
وزارة المالية والتخطيط
مديرية اللوازم العامة

رقم قرار الإحالة: 2019/57

رقم المناصحة: MEHE-GSD/KFW/2019/31

5672	709	8	4	4	<p>. For CAT III circuits (high-power appliance power circuits, which may carry high-level transient over-voltages); IP54</p> <ul style="list-style-type: none"> - AC voltages from 500 mV to 600 V rms, 1% - DC voltages from 500 mV to 600 V, 1% - AC currents from 10 mA to 10 A, 1% - DC currents from 10 mA to 10 A, 1,5% - DC power levels up to 6 kW, 1,5% - AC active power levels up to 6 kW, 1,5% - AC reactive power levels up to 6 kVAR, 3% - AC apparent power levels up to 6 kVA, 1% - the power factor, 3% <p>Including test leads, power supply, interface cable USB, application software, user manual</p>	metrix PX120	Power meter, hand held, 1 and 3 phase, 600V, 10A, 6kW, 6kVA, 6kvar, cos φ, power factor	Accessories Teaching & Learning	29
------	-----	---	---	---	--	--------------	---	---------------------------------	----

مصادقة وزير المالية والتخطيط

محمد ربيع
رئيس لجنة العطاءات المركزية

عبد الرؤوف عساف / وزارة الاشغال العامة والإسكان

صفحة 13 من 14

عضو

عضو

أحمد الاحمد / مؤسسة المواصفات والمقاييس

فؤاد ابو الرب / وزارة المالية والتخطيط
ابراهيم شهاب / وزارة الاقتصاد

State Of Palestine
Ministry Of Finance & Planning
General Supplies Department



دولة فلسطين
وزارة المالية والتخطيط
مديرية اللوازم العامة

رقم قرار الإحالة: 2019/57

رقم المناقصة: MEHE-GSD/KFW/2019/31

3954	659	6	3	3	<p>It should be designed according to the needs and good view of the lab working area. The usage of 45x45mm aluminium sections should be provide long-life. There should be a lightning mechanism on the upper panel There shall be a railed experiment system where experiment modules will be placed and an energy unit consisting the required power supplies on the experiment desk. The power supplies on the energy unit should measured and have a protection system with 4mm born screw connection. All connections among the experiment moduleshould be done via 4mm cables. The surface of the experiment desk should be used as working area during the experiments. TECHNICAL SPECIFICATIONS A railed system for two lined experiment modules. A horizontal surface for working area An ergonomics structure for doing an experimnet while sitting or standing Aluminium body and components Should be easy to mount and light to carry Durable material in Aluminum structure The min. size of the desk width: 100cm, height: 185cm, length 180cm SPECIFICATIONS OF ENERGY UNIT Supply 230V AC / 50-60Hz AC Output Voltages 220V – 24V – 12V DC Output Voltages 24V – 12V – 5V Start – Stop – Emergency Buttons, contactor energy input Energy inputs and outputs with fuse protection Should be protection for overcurrent, over voltage and short circuit LED used signal indicator IEC and 4mm isolated born screw connections 0-250V AC Power Supply on digital control panel. digital dc/ac voltmeter and ampermetar</p>	f1110P	AC/DC MOUNTED LAB DESK	Accessories Teaching & Learning	42
30,956					اجمالي الاحالة على الشركة الفنية للتطبيقات الهندسية بالبيورو غير شامل ضريبة القيمة المضافة				
118,328					اجمالي احالة المناقصة بالبيورو غير شامل ضريبة القيمة المضافة				

مصادقة وزير المالية والتخطيط

محمد ربيع
رئيس لجنة العطاءات المركزية

عبد الرؤوف عساف / وزارة الاشغال العامة والإسكان

فؤاد ابو الرب / وزارة المالية والتخطيط

فؤاد

ابراهيم شهاب / وزارة الاقتصاد

عضو

عضو

أحمد الاحمد / مؤسسة الدراسات والبحوث



الرقم : 2019/ 6

التاريخ 26/ 6/ 2019

الإدارة العامة لضريبة الدخل
27/6/2019

الأخوة/ الأخوات المحترمين
السادة الكرام
no. 6. 2019

السيد/ محمد ربيع المحترم .

مدير عام اللوازم العامة رئيس لجنة العطاءات المركزية

تحية طيبة وبعد ،،،

الموضوع :- فحص الالتزام الضريبي.

إشارة للموضوع المذكور اعلاه ، وبعد فحص المكلفين بتاريخ 2019/6/26 م فقد قمنا بفحص الالتزام الضريبي للمكلفين اذناه و كانت نتيجة الفحص. على النحو التالي :-

الرقم	اسم المستفيد	رقم المشتغل	الالتزام الضريبي
1-	شركة بيو لاین للتجهيزات	562410910	رقم المشتغل والاسم مختلف
2-	شركة الارض المقدسة	562409151	ملتزم
3-	لابتك للتوريدات	562176578	ملتزم
4-	شركة مديقارم	562417741	ملتزم كبار مكلفين
5-	شركة الصندوقة	562458497	ملتزم
6-	شركة بيت المقدس	563120153	ملتزم
7-	شركة العروة للتوريدات	562136325	ملتزم
8-	شركة التوريدات	563103720	ملتزم كبار مكلفين
9-	شركة انتر ميد بال	562440784	غير ملتزم كبار مكلفين
10-	شركة ايز للتجارة والاستثمار	562485706	ملتزم
11-	شركة رامكو	562455022	ملتزم
12-	شركة ايمي	838006922	ملتزم
13-	شركة اي سي تي	059469684	ملتزم

وتفضلوا بقبول فائق الاحترام والتقدير،،



عماد أبو صبحه

أ. مدير عام ضريبة الدخل

Tel.: 02-2978792

Fax: 02-2978793

allah NO. 3366 JX 1/1



تلفون: 02-2978792

فاكس: 02-2978793

حام نوباتي

ص.ب. 755 ... 111
26 JUN 2019 12:35



التاريخ: 26/9/2019

الأضرابية
26/9/2019الإفخا/بفوات بوفيات
الطائرات الجوية

الموضوع:- فحص التزام ضريبي

السيد/ محمد ربيع المحترم

مدير عام اللوازم العامة/ رئيس لجنة العطاءات المركزية

تحية طيبة وبعد ..

أشارة للموضوع أعلاه ، فقد قمنا بفحص الالتزام الضريبي للمذكورين ادناه وكانت نتيجة الفحص كما يلي:-

الرقم	اسم الشركة	رقم المشتغل	الالتزام
1	شركة اكسيس لاجهزة المساحة	562536565	ملتزم
2	نضال محمد يوسف ابوحرب	904117355	غير ملتزم
3	شركة جلوبال تك للتدريب والكمبيوتر	562461210	ملتزم
4	الشركة الفنية للتطبيقات الهندسية المساهمة	562431742	ملتزم
5	نضال قاسم ابو موسى/ابو موسى للتجارة العامة والمقاولات	998176077	ملتزم
6	شركة مصانع معاينة	562424796	ملتزم
7	محمد يحيى مصطفى النجار/المجمع الصناعي	334014206	غير ملتزم
8	شركة السهم للتقنيات الحديثة	562461921	ملتزم

وتقبلوا فائق الاحترام و التقدير،

عماد أبو صبحه
مدير عام ضريبة الدخل

مبدئي موسى 2019/9/26

Tel.: 02-2978792
Fax: 02-2978793
P.O.BOX 795 - Ramallahتلفون: 02-2978792
فاكس: 02-2978793
ص.ب: 795 - رام الله



الإخ محمد ربيع حنطة الله
مدير عام الكوادم العامة
تحية وبعد ..

الموضوع : الالتزام الضريبي

بالإشارة الى الموضح أعلاه فيما يلي الوضع الضريبي والعمركي للشركات التالية في الجدول أدناه .

الالتزام العمركي	الالتزام الضريبي	رقم المشتغل	اسم المشتغل
غير مستورد	ملتزم	562533398	شركة رام الله للإنعسة والكيميائيات
ملتزم	ملتزم	562461921	شركة السهم للتقنيات الحديثة
غير مستورد	ملتزم	562536565	شركة اكسيس
ملتزم	ملتزم	562176578	شركة لايت
ملتزم	ملتزم	562431742	الشركة التقنية

واحدة
الأفضة
25/9/2019

رابع ظاهر
مساعد المدير العام للشؤون الفنية
ضريبة القيمة المضافة



الأمانة العامة
دولة فلسطين
وزارة المالية والتخطيط
25-09-2019
الأمانة العامة للضريبة والجمارك والادارة العامة للقيمة المضافة
الميلاد الله
3772
ص.ب. 795
رام الله

Tel+ 970 2 2978742
Fax + 970 2 2978741
P.O.BOX 795- Ramallah

الأمانة العامة
دولة فلسطين
وزارة المالية والتخطيط
24-09-2019
رام الله
F123